11321-P012USD1 PATENT

## **Listing of the Claims**

1. (Previously Amended) A method for purifying a mixture comprising single-wall carbon nanotubes and amorphous carbon contaminate, said method comprising the steps of:

- (a) heating said mixture under oxidizing conditions sufficient to remove the said amorphous carbon; and
- (b) recovering a product comprising at least about 80% by weight of single-wall carbon nanotubes, wherein the product is washed with a solution comprising a surfactant.
- (Currently Amended) The method of claim 1 166 wherein said oxidizing conditions comprise an aqueous solution of an inorganic oxidant.
- 3. (Original) The method of claim 2 wherein said inorganic oxidant is selected from the group consisting of nitric acid, a mixture of sulfuric acid and hydrogen peroxide, potassium permanganate and mixtures thereof.
- 4. (Original) The method of claim 2 wherein said aqueous solution is heated to reflux.
- 5. (Original) The method of claim 2 additionally comprising the step of subjecting the oxidized product of step (b) to a saponification treatment.
- 6. (Original) The method of claim 5 wherein said saponification treatment comprises contacting said product with a basic solution.
- 7. (Original) The method of a claim 6 wherein said basic solution comprises sodium hydroxide.
- 8. (Original) The method of claim 6 additionally comprising the step of neutralizing the saponified product with an acid.
- 9. (Original) The method of claim 8 wherein said acid is hydrochloric acid.

11321-P012USD1 PATENT

10. (Original) The method of claim 8 additionally comprising the step of recovering a solid product from the saponified, neutralized product.

- 11. (Original) The method of claim 10 wherein said product is recovered by a method selected from the group consisting of filtration, settling by gravity, chemical flocculators, and liquid cycloning.
- 12. (Original) The method of claim 10 wherein said solid product is a paper-like two-dimensional product.
- 13. (Original) The method of claim 12 additionally comprising the step of drying the product.
- 14. (Original) The method of claim 13 wherein said product is dried at about 850°C in a hydrogen gas atmosphere.
- 15. (Currently Amended) The method of claim + 166 wherein said product comprises at least about 90% by weight of single-wall carbon nanotubes.
- 16. (Currently Amended) The method of claim ‡ 166 wherein said product comprises at least about 95% by weight of single-wall carbon nanotubes.
- 17. (Currently Amended) The method of claim + 166 wherein said product comprises at least about 99% by weight of single-wall carbon nanotubes.

## 18-162. (Cancelled)

- 163. (Previously added) The method of claim 1 wherein the surfactant is sodium dodecyl sulfate.
- 164. (Previously added) The method of claim 1 wherein the surfactant is a non-ionic surfactant.

11321-P012USD1 PATENT

165. (Previously Added) A method for purifying a mixture comprising single-wall carbon nanotubes and amorphous carbon contaminate, said method comprising the steps of:

- (a) heating said mixture under oxidizing conditions; and
- (b) recovering a product comprising at least about 80% by weight of single-wall carbon nanotubes, wherein the product comprises fullerene torroids.
- 166. (New) A method for purifying a mixture comprising single-wall carbon nanotubes and amorphous carbon contaminate, said method comprising the steps of:
  - (a) heating said mixture under oxidizing conditions sufficient to remove the said amorphous carbon; and
  - (b) recovering a product comprising at least about 80% by weight of single-wall carbon nanotubes.